MANUAL



Technical specifications

Duration: 55 minutes. Language: no text

Public: Young people and adults.

Language: no spoken text.

Set up: 7 h (depending on the equipment of the room and if the lighting system is previously set up).

Required: a lighting technician for focusing and recording, a sound technician for set-up and adjustments.

Dismantling: 2 hours.

Minimum stage space: 7m long, 5m deep and 4m high.

Sound: iPad music playback from stage (minijack cable), P.A. and stereo sound return on stage.

Accommodation on tour: 4 people.

Baggage: 3 suitcases of 23 kilos (no excess baggage).

Minimum time between performances: 3 hours - Maximum number of performances per day: 4

Essential requirements:


- 1) **Table**: 2 identical tables 1.80 m long, 0.74 m deep and 0.74 m high (to be coordinated) * photographs of the requested tables are attached for illustrative purposes, the tables must be identical and will be covered with a black cloth to be carried by the company
- 2) German or Italian black box + 2 specific black legs (see lighting plan).
- 3) Total darkness.
- 4) Illumination (see lighting plan attached).
- 5) Black standing coat rack with wheels + 6 to 10 hangers ** illustrative photo attached (to be coordinated with the company).
- 6) Standard stool *** illustrative photo attached (to be coordinated with the company).

Contact: coriolistecnica@gmail.com



CORIOLIS Compañía de Teatro de Objetos

** Coat rack + 6 to 10 hangers (illustrative photo)





***Standard stool (illustrative photo)

standard height of approximately 50 cm. It shall not be visible to the public, its colour or appearance is not important.



Contact: coriolistecnica@gmail.com

MANUAL

Company: Coriolis www.coriolisteatro.com


LIGHTING AND SCENOGRAPHY PLOT

Light designer: Lucía Tayler luciatayler@gmail.com

REFERENCES: 10 PC 2 1KW 15 ELIPSOIDAL ZOOM 25/50° The degrees may vary depending on the measurments of the scenario BOOMS 0.90 and 1.20 height **BLACK BOX** TABLE. **COAT RACK** STOOL 17 DIMMER CHANNELS

GROUPS:

- 1 Contraluz
- 2 Punta de Vara
- 3 Roio
- 4 Verde
- 5 Azul
- 6 Punta de Vara
- 7 Contraluz Perchero
- 8 Ingreso
- 9 Saludo
- 10 Zapatero
- 11 Zapatero Rojo
- 12 Final
- 13 Perchero
- 14 Calle atrás + 0.90 m
- 15 Calle adelante + 0,90 m
- 16 Calle medio + 1.20 m
- 17 Luz de sala dimmerizable



Contact: coriolistecnica@gmail.com

The cabin must have a good view of the stage

CONSOLE, that allows recording 17 submasters, to operate the show manually